

AXEL COMPACT SOLUTION FOR CEILING RECESSED







Axel 25 W

IP40 ⊕ C€



The Axel is a compact solution for ceiling recessed applications suitable for lighting up shops, museums or restaurants. The spot can rotate and tilt of your choosing thanks to a 2 axis system.

This system allows the user to easily aim with precision

without the needs of tools. The different optics available on request together with a high CRI Led of the latest technology, make the spot the perfect solution for the most demanding light designers.

REFERRING STANDARDS IEC 60598-1

LED

NOMINAL INPUT FREQUENCY
NOMINAL CURRENT TO THE LEDS
POWER AT SOURCE
1NSULATION CLASS
111

BEAM ANGLES 13° / 38° / 50° **LUMINOUS FLUX (*)** 3500 lm


COLOR TEMPERATURE 2700 K / 3000 K / 4000 K


CRI 80/90/97LM OUTPUT LIFETIME > 50000 hOPERATING TEMPERATURE $-15^{\circ}\text{C}/+45^{\circ}\text{C}$

 IP RATING
 IP40

 WEIGHT
 1,1 Kg

 HOLE
 Ø 145 mm







(*) Luminous flux referred to 3000K and CRI80


TECHNICAL FEATURES

- High luminous flux
- Housing in anodized aluminum and powder painted in white RAL 90003
- Latest generation COB with high CRI
- Many optics available
- · High precision reflectors in polished aluminum

PHOTOMETRIC DATA







13° 38°

via Giuseppe Parini, 1 23845 Costa Masnaga (LC) Italy Tel +39 0314121731 Fax +39 0314131783

