




eSTYLE
yes, we light!

eSTYLE
HIGH POWER LED FIXTURE
FOR PUBLIC AREAS





eSTYLE 75 / 150 / 300 W

IP40  CE

POWER
75/150/300 W




HOUSING
*made of aluminum alloy with
total black finish*

LED
*High-brilliant LED light of
latest generation technology*

eSTYLE is an indoor fixture perfect for wide area lighting from very high ceilings. It comes with different optics and different color temperatures also with high CRI.

The eSTYLE is available from 75W up to 300W. It's possible to customize easily other versions. The external power supply can be "plug and play" or with dimming input.



TECHNICAL SPECIFICATION

	eSTYLE - K1	eSTYLE - K2	eSTYLE - K4
REFERRING STANDARDS	IEC 60598-1 / IEC 60598-2-5 / IEC 62471	IEC 60598-1 / IEC 60598-2-5 / IEC 62471	IEC 60598-1 / IEC 60598-2-5 / IEC 62471
LIGHTING MODULES NUMBER	1	2	4
NOMINAL CURRENT TO THE LEDS	1000 mA	1000 mA	1000 mA
POWER AT SOURCE	75 W	150 W	300 W
POWER SUPPLY	Integrated	Integrated	Integrated
NOMINAL INPUT VOLTAGE	100-305 Vac	100-305 Vac	100-305 Vac
LIGHT INTENSITY REGULATION	1-10 Vdc / 10% - 100%	1-10 Vdc / 10% - 100%	1-10 Vdc / 10% - 100%
BEAM ANGLES (*)	36°, 60°, 80°	36°, 60°, 80°	36°, 60°, 80°
INITIAL LUMEN OUTPUT (**)	10000 lm	21400 lm	42900 lm
COLOR TEMPERATURE(***)	4000K / 3000K / 2700K	4000K / 3000K / 2700K	4000K / 3000K / 2700K
CRI	> 70	> 70	> 70
LM OUTPUT LIFETIME	> 50000 h	> 50000 h	> 50000 h
OPERATING TEMPERATURE	-30°C / +50°C	-30°C / +50°C	-30°C / +50°C
IP RATING	IP40	IP40	IP40
WEIGHT	2 Kg	3,4 Kg	6,7 Kg
FRONT GLASS	3 mm Tempered	3 mm Tempered	3 mm Tempered

(*) Other beams are available on request

(**) Referred to 4000 K CRI 70


(***) Other color temperatures are available on request

TECHNICAL FEATURES


- High light output
- Housing made of aluminum alloy with total black finish
- High-brilliant LED light of latest generation technology
- Light weight
- Different color temperatures
- Standard CRI > 70
- Thermal management with passive cooling
- Dimmable with 1-10V or external PWM
- Available with custom shapes

DIMENSIONS


mm (inch)




PHOTOMETRIC DATA



36°



60°



80°

via Giuseppe Parini, 1
23845 Costa Masnaga (LC) Italy
Tel +39 0314121731
Fax +39 0314131783

info@spacecannonsne.it
spacecannonsne.it

